



Version number 3 Revision: 17.07.2017 Printing date 17.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AQUA TENAX - A

· Article number: 506204A

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Two-component waterborne sealer for wood floors, comp. A

· Manufacturer/Supplier:

VERMEISTER S.p.A.

Loc. Fornaci

I-24050 Mornico al Serio (Bergamo)

Tel.+39/035.4428190 Fax:+39/035.4428075

- · Further information obtainable from: roberta.fracchiolla@vermeister.com
- · 1.4 Emergency telephone number: +39/035 4428190

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous to health or environment according to the CLP regulation.

The product is classified according to Reg (EC) No 1272/2008

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one, Mixture of 5-chloro-2-methyl-2 H-isothiazol-3-one and 2-methyl-2 Hisothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Mixture of hazardous substances according to Reg. (EC) No. 1272/2008 and /or substances with a Community workplace exposure limit and/or substances classified as PBT/vPvB or included in Candidate List listed below

CAS: 111-76-2	2-butoxyethanol	≤ 2.5%
EINECS: 203-905-0 Reg.nr.: 01-2119475108-36	♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	≤ 2.5%





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm

Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

34590-94-8 (2-methoxymethylethoxy)propanol

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:



Use protective gloves that guarantee complete protection in compliance with standard EN 374.

- · Material of gloves PVC, neoprene or rubber
- · Eye protection:



If there is a risk of spray, wear safety spectacles. Eye protection must meet standard EN 166.

· Body protection:

No special precautions are required. In any case, wear clothing in cotton or rubber, for example, that guarantees complete protection of the skin.

· Risk management measures

(Contd. on page 4)





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 3)

All the personal protective equipment must comply with the European reference standards (such as EN 374 for the gloves, EN 166 for the safety spectacles and EN14387 for the safety mask). Such equipment must be kept in good working order and stored appropriately. The service life of the protective equipment against chemical agents depends on various factors (type of use, climate factors and methods of storage), which may considerably reduce the service life envisaged by the EN standards. Always consult the supplier of the protective equipment. Instruct the worker on how to use the equipment provided.

Thermal risks: None

Environmental exposure controls: None

SECTION	9: Ph	vsical a	nd cl	hemical	nrone	rties
DECITOR.	\sim 1 $_{\rm IU}$	you un u	iiuu ci	ullinular	ριορο	

SECTION 9: Physical and chemic	cal properties
9.1 Information on basic physical and cl	hemical properties
General Information	• •
Appearance:	
Form:	Fluid
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20°C:	7
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	$1.02 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	15 s (ISO 4 mm)
9.2 Other information	See the product label for information on the provisions of Directive
·	2004/42/EC about VOCs (if applicable).





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-repeated exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecological data about the product: not available.

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging: Empty containers should be disposed or recovered.

(Contd. on page 6)





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 5)

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

SECTION 15: Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) No.1907/2006 (REACH) and further modifications;

Reg. (EC) No. 1272/2008 (CLP) and further modifications;

Dir. 2004/42/EC (VOC), if applicable.

- · Chemical safety assessment not available
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 7)





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - A

(Contd. of page 6)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AQUA TENAX - B

· Article number: 506204B

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Two-component waterborne sealer for wood floors, comp. B

· Manufacturer/Supplier:

VERMEISTER S.p.A.

Loc. Fornaci

I-24050 Mornico al Serio (Bergamo)

Tel.+39/035.4428190 Fax:+39/035.4428075

- · Further information obtainable from: roberta.fracchiolla@vermeister.com
- · 1.4 Emergency telephone number: +39/035 4428190

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

 The product is classified according to Reg (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Hydrophilic aliphatic polyisocyanate

· Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 2)



Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Mixture of hazardous substances according to Reg. (EC) No. 1272/2008 and /or substances with a Community workplace exposure limit and/or substances classified as PBT/vPvB or included in Candidate List listed below

· Dangerous components:				
CAS: 160994-68-3	Hydrophilic aliphatic polyisocyanate			
	Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412			
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	2.5-10%		
EINECS: 203-603-9 Reg.nr.: 01-2119475791-29	♠ Flam. Liq. 3, H226			

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- $\cdot \textit{After skin contact:} \ \textit{Immediately wash with water and soap and rinse thoroughly}.$
- · After eye contact: Rinse opened eye for several minutes under running water.
- $\cdot \textit{After swallowing:} \textit{ If symptoms persist consult doctor.}$
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm

Sk

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

· Respiratory protection:



Not necessary in well-ventilated environments. In the case of insufficient ventilation, use a mask with a filter type A (EN 14387).

Protection of hands:



Use protective gloves that guarantee complete protection in compliance with standard EN 374.





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

(Contd. of page 3)

- · Material of gloves PVC, neoprene or rubber
- · Eye protection:



If there is a risk of spray, wear safety spectacles. Eye protection must meet standard EN 166.

· Body protection:

No special precautions are required. In any case, wear clothing in cotton or rubber, for example, that guarantees complete protection of the skin.

· Risk management measures

All the personal protective equipment must comply with the European reference standards (such as EN 374 for the gloves, EN 166 for the safety spectacles and EN14387 for the safety mask). Such equipment must be kept in good working order and stored appropriately. The service life of the protective equipment against chemical agents depends on various factors (type of use, climate factors and methods of storage), which may considerably reduce the service life envisaged by the EN standards. Always consult the supplier of the protective equipment. Instruct the worker on how to use the equipment provided.

Thermal risks: None

Environmental exposure controls: None

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and ch · General Information	nemical properties
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	7.5
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	146 °C
· Flash point:	67 °C (PenskyMartens closed cup)
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	315 °C
· Decomposition temperature:	Not determined.
\cdot $Auto$ -ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	1.5 Vol %
Upper:	12.7 Vol %
· Vapour pressure at 20 °C:	3.4 hPa
· Density at 20 °C:	1.08 g/cm³
Relative density	Not determined.
Vapour density	Not determined.

(Contd. on page 5)



Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

	(Contd. of page 4)
· Evaporation rate	Not determined.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	25 s (ISO 4 mm)
· 9.2 Other information	See the product label for information on the provisions of Directive 2004/42/EC about VOCs (if applicable).

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if inhaled.

· LD/LC50 va	lues relei	vant for cl	assification:

160994-68-3 Hydrophilic aliphatic polyisocyanate		
Oral	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.39 mg/l (rat)
	EC50	>10000 mg/l (Bacteria (activated sludges)) (OECD TG 209)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot \textbf{Aspiration hazard } \textit{Based on available data, the classification criteria are not met.} \\$

SECTION 12: Ecological information

Ecological data about the product: not available.



Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

(Contd. of page 5)

· 12.1 Toxicity

· Aquatic toxicity:

160994-68-3 Hydrophilic aliphatic polyisocyanate

EC50 (48h) >100 mg/l (Daphnia magna) (OECD TG 202)

EC50 (72h) >100 mg/l (Scenedesmus subspicatus) (OECD TG 201)

LC50 (96h) 28.3 mg/l (Fish) (OECD TG 203)

· 12.2 Persistence and degradability

160994-68-3 Hydrophilic aliphatic polyisocyanate

Biodegradability 2 % (/) (OECD TG 301 F (28 days))

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- $\cdot Additional\ ecological\ information:$
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging: Empty containers should be disposed or recovered.
- **Recommendation:** Disposal must be made according to official regulations.

SECTION	14: Trans	port inj	tormat	ion
---------	-----------	----------	--------	-----

· 14.3 Transport hazard class(es)

· ADN/R Class: n.a.

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.





Printing date 17.07.2017 Version number 3 Revision: 17.07.2017

Trade name: AQUA TENAX - B

(Contd. of page 6)

SECTION 15: Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) No.1907/2006 (REACH) and further modifications;

Reg. (EC) No. 1272/2008 (CLP) and further modifications;

Dir. 2004/42/EC (VOC), if applicable.

- · Chemical safety assessment not available
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3