



## SAFETY DATA SHEET

### 1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Preparation:**

Name: LAKEONE marbler sheen  
Product code: 80600

**Company/business:**

Registered company name: INITIATIVES DECORATION.  
Address: 7 rue goulebeneze.17770.ECOYEUX.france.  
Telephone: 05-46-95-48-00. Fax:05-46-95-95-06. Telex:.  
Emergency telephone No.: 01-45-42-59-59.  
Association/Organisation: ORPHILA.

**Normal use:**

Maintain marbles and polished stone

### 2 - COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous substances present on their own.**

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)  
INDEX 650-002-00-6 CAS 8006-64-2 CE 232-350-7 TURPENTINE, OIL | Concentration >=50.00% and <100.00%. Symbol: Xn N R:  
10-20/21/22-36/38-43-51/53-65

**Other substances representing a hazard:**

No known substance in this category present.

**Substances present at a concentration below the minimum danger threshold.**

No known substance in this category present.

**Other substances with occupational exposure limits.**

No known substance in this category present.

### 3 - IDENTIFICATION OF HAZARDS

This product is classed: Flammable.  
Possibility of irritation to the eyes and skin.  
Possibility of skin sensitisation. The preparation may also irritate the skin and prolonged contact may aggravate this effect.  
Possibility of noxious effects with symptoms of slight poisoning by inhalation, contact with the skin and swallowing.  
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.  
NEVER induce swallowing in an unconscious person.

**In the event of exposure by inhalation.**

If a large quantity is inhaled, move the patient into the fresh air and keep him/her warm and still.  
If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.  
Do not give the patient anything orally.

**In the event of splashes or contact with eyes.**

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.  
Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

**In the event of splashes or contact with skin.**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.  
DO NOT use solvents or thinners.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital

**In the event of swallowing.**

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal

and consult a doctor.  
Keep still. DO NOT induce vomiting.  
Consult a doctor and show him the label.  
Call a doctor immediately and show him the label.

## 5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

### In the event of fire, the recommended extinguishing agents are:

In the event of fire, use specifically suitable extinguishing agents. Never use water.

### Extinguishing agents not to be used

Do not breathe in smoke.  
Prevent the effluent of fire-fighting measures from entering drains or waterways.

### Special equipment for fire-fighting personnel.

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.  
Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## 6 - ACCIDENTAL RELEASE MEASURES

### Safety precautions:

Eliminate any possible source of ignition and ventilate the premises.  
Avoid inhaling the fumes.  
Avoid any contact with the skin and eyes.  
Consult the safety measures listed under headings 7 and 8.

### Environmental safety precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatom earth in drums for waste disposal.  
Prevent any material from entering drains or waterways.  
Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).  
If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

### Cleaning methods:

Clean preferably with a detergent, do not use solvents.

## 7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.  
Anyone with a history of skin sensitisation must on no account handle such products

### Handling:

Handle in well-ventilated areas.

### Fire prevention:

Use the product in premises where there are no naked flames or other sources of ignition and have protected electrical equipment  
Keep packages tightly closed and away from sources of heat, sparks and naked flames.  
Do not use tools which may produce sparks. Do not smoke.

### Recommended equipment and procedures

For personal safety, see §8.  
Observe precautions stated on label and also industrial safety regulations  
Packages which have been opened must be reclosed carefully and stored in an upright position  
Avoid inhaling fumes.  
Avoid contact of product with the skin and eyes

### Prohibited equipment and procedures.

Smoking, eating and drinking are prohibited in premises where the preparation is used  
Never open the packages under pressure

### Storage.

Keep the container tightly closed in a dry, well-ventilated place  
Keep away from food and drink, including those for animals.  
Keep away from all sources of ignition - do not smoke.  
Keep well away from all sources of ignition, heat and direct sunlight

## 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Anyone with a history of skin sensitisation must on no account handle such products.

**Technical measures.**

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

If this ventilation is insufficient to maintain the concentration of solvent fumes below the exposure limits, wear breathing apparatus

**Exposure limits per INRS ND 2098-174-99 and ND 2114-176-99:**

France	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
8006-64-2	-	-	-	-	-	-

**Exposure limits per 2000/39/EC and 98/24/EC:**

EC	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:

**Safety breathing apparatus:**

With this preparation, avoid in particular any inhalation of fumes.

**Hand protection.**

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

In the event of prolonged or repeated contact with the hands, use appropriate gloves.

**Eye and face protection.**

Avoid contact with eyes.

Wear safety goggles.

Provide eye washes in workshops where the product is constantly handled

**Skin protection.**

For further information, see § 11 of S.D.S. - Toxicological information.

**9 - PHYSICAL AND CHEMICAL PROPERTIES**

Density:	< 1
Acid/base character of preparation:	not relevant.
Solubility of preparation in water:	Insoluble.
Vapour tension at 50°C of volatile constituents:	Below 110 kPa (1.10 bar).
Physical state:	viscous liquid
Flash point interval:	23°C. < Flash point: <= 55°C.
The pH is impossible to measure or its value is not relevant.	
Self-ignition temperature:	not specified.
Decomposition temperature:	not specified.
Melting temperature interval:	not specified.
Average distillation temperature of solvents contained:	not specified.

**10 - STABILITY AND REACTIVITY**

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and nitrogen oxide

**Conditions to avoid:**

protect from heat

**Materials to avoid:**

potent oxidizing agents

**11 - TOXICOLOGICAL INFORMATION**

No data is available regarding the preparation itself.

Exposure to fumes from solvents contained in the preparation beyond the exposure limits stated may produce effects harmful to health, such as: Irritation of mucous membrane and respiratory system, kidneys, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Prolonged or repeated contact with the preparation may strip the skin of its natural oil and thus cause non-allergic dermatitis on contact and absorption through the epidermis.

Splashes in the eyes may cause irritation and reversible damage

It is generally agreed that substances contained are likely to cause the appearance of major lesions which persist for at least twenty-four hours after application to the eye of an animal

and are likely to cause significant irritation which lasts for at least twenty four hours after application to the healthy, unbroken skin of an animal for a period of up to 4 hours.

It is generally agreed that substances contained are likely to cause, among certain predisposed subjects, a sensitisation reaction by cutaneous route

**In the event of splashes or contact with skin.**

N/A !

**In the event of splashes or contact with eyes.**

N/A !

**12 - ECOLOGICAL INFORMATION**

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

**Aquatic Toxicity:**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**13 - DISPOSAL CONSIDERATIONS**

Do not pour into drains or waterways.

**14 - TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport

UN1263=PAINT RELATED MATERIAL (including paint thinning or reducing compound)

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.
	3	F1	III	3	30	LQ7	163-640E

\*Not subject to this regulation if Q &lt; 450l.

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.
	3	-	III	5 L	F-E,S-E	163 223 944 955

\*Not subject to this regulation if Q &lt; 30l

\*Marine Pollutant P

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note
	3	-	III	309	60 L	310	220 L	A3, A72
	3	-	III	Y309	10 L	-	-	-

**15 - STATUTORY INFORMATION**

This preparation was classified in compliance with the directive known as &lt;All preparations&gt; 1999/45/EC and its adaptations

In addition directive 2001/59/EC with the 28° adaptation of directive 67/548/EC (Hazardous substances) have been taken into account.

**Preparation classification.**

Harmful.



Dangerous for the environment.

Flammable.

**Contains:**

650-002-00-6 TURPENTINE, OIL

**Particular hazards associated with the preparation and safety recommendations:**

R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 43	May cause sensitization by skin contact.
R 36/38	Irritating to eyes and skin.
R 20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R 10	Flammable.
S 2	Keep out of reach of children.
S 29	Do not empty into drains.
S 36/37	Wear suitable protective clothing and gloves.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 61	Avoid release to the environment. Refer to special instructions/Safety data sheets.
	Marine Pollutant P.

**Particular provisions:**

Tactile warning of danger.

**16 - OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.  
It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.  
The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties