

TECHNICAL BULLETIN

WOOD STAIN REMOVER & REJUVENATOR

1) PRODUCT DESCRIPTION

WOOD AND LUMBER REJUVENATING SYSTEM. Ideal uses include: decks, fences and any wood structures. It will remove stain and thoroughly clean darkened wood, bringing back the original color of the wood. Fully biodegradable, it will not damage the vegetation (trees, lawn & flowers) around the structure.

Typical cleaning applications:

- **Wood Stain removal (use pur or diluted 1:2)**
- **Wood rejuvenation (use diluted 1:5 to 1:10)**
- **Wood structures cleaning (use diluted 1:10 to 1:20)**
- **Mildew, bacteria, algae & slime removal;**



2) ADVANTAGES

Based on an elaborated blend of surfactants, solvents, chelating agents and caustic, the **WOOD STAIN REMOVER & REJUVENATOR** is completely biodegradable.

Its main benefits are:



- Very high efficiency;
- Biodegradable;
- Compatible with all ferrous metals, concrete, masonry & fiberglass;
- Non flammable;
- Water based;
- Can be diluted up to 1: 20.

3) PHYSICAL PROPERTIES

Appearance.....	blue translucent liquid
Odour	pleasant (citrus)
Biodegradable	100%
Flash point.....	None
Specific Gravity.....	...1.1 - 1.2
pH (Sol. 1%).....	≤11.5
Solubility in water	excellent

4) PROCEDURE

- 1- Protect the surrounding vegetation by wetting it with water prior to applying the **WOOD STAIN REMOVER & REJUVENATOR** or cover it with a plastic drop sheet.
- 2- Apply the **WOOD STAIN REMOVER & REJUVENATOR** with a garden sprayer, a brush or a cloth at recommended dilution (see section 1).
- 3- Wait 5 to 15 minutes.
- 4- Use a pressurized water cleaner or a brush with water to clean and rinse the surface.



5) PERSONAL PROTECTION

- Safety glasses are recommended,
- Chemical resistant gloves.

6) STORAGE

Store the **WOOD STAIN REMOVER & REJUVENATOR** at a controlled temperature of 0° C to 30° C (32° F to 86° F) in a plastic container. The product will freeze below 0°C (32°F). Store in a closed plastic container when not in use. The shelf life of the product has been determined to be three (3) years.

7) PACKAGING

<u>FORMAT</u>	<u>PACKAGING</u>	<u>BAR CODE</u>
Gallon (3.78 L)	Case of 4	180709000225
Pail (18.9 L)	Plastic pail (5 gal.)	180709000095
Drum (205 L)	Plastic drum (55 gal.)	Not applicable