

Safety Data Sheet According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 11/15/2018

Revision date: 11/17/2023 Version: 2.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: Classic Fill Stick – All Colours		
1.2. Relevant identified uses of	the substance or mixture and uses advised ag	gainst	
Use of the substance/mixture	: Repair of furniture and home furnis	shings	
1.3. Details of the supplier of the	e safety data sheet		
Distributor Dover Finishing Products, Inc. 180 Avenue du Voyageur Pointe-Claire, QC H9R 6A8 - Canada T 514-420-6030 dfpservice@dfp.ca			
1.4. Emergency telephone numl	ber		
Emergency number	: 1-800-354-4445		
SECTION 2: Hazard identifica	tion		
2.1. Classification of the substa	nce or mixture		
GHS classification			
Not classified.			
2.2. Label elements			
GHS labelling			
No labelling applicable			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity			
Not applicable			
SECTION 3: Composition/info	rmation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
			70

Na	ame	Product identifier	%
Pa	raffin waxes and Hydrocarbon waxes	(CAS-No.) 8002-74-2	30 - 60
Та	lc	(CAS-No.) 14807-96-6	10 - 30
Tita	anium dioxide	(CAS-No.) 13463-67-7	1 - 5
Ca	arbon black	(CAS-No.) 1333-86-4	1 - 5

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.		
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.		

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media : Foam. Dry chemical. Carbon dioxide.		
Unsuitable extinguishing media	: None known.	
5.2. Special hazards arising from the sub-	stance or mixture	
Fire hazard	: Material will not burn unless pre- heated. Products of combustion may include, and are not limited to: oxides of carbon.	
Reactivity	: No dangerous reactions known under normal conditions of use.	
5.3. Advice for firefighters		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECTION 6: Accidental release meas	ures	
6.1. Personal precautions, protective equ	ipment and emergency procedures	
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
For containment	: Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal.	
6.4. Reference to other sections		
For further information refer to section 8: "Exposure controls/personal protection"		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.	
Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.		

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Store in a dry, cool area.

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Paraffin waxes and Hydrocarbon waxes (8002-74-2)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m <sup>3</sup> (fume)
ACGIH	Remark (ACGIH)	URT irr; nausea
NIOSH	NIOSH REL (TWA) (mg/m³)	2 mg/m <sup>3</sup> (fume)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Talc (14807-96-6)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m <sup>3</sup> (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
OSHA	OSHA PEL (TWA) (ppm)	20 mppcf
OSHA	Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
IDLH	US IDLH (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup> (containing no asbestos and <1% quart
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (containing no Asbestos and <1% Quartz- respirable dust)
Carbon black (133	3-86-4)	
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (inhalable particulate matter)
ACGIH	Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
IDLH	US IDLH (mg/m <sup>3</sup> )	1750 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	3.5 mg/m <sup>3</sup> 0.1 mg/m <sup>3</sup> (Carbon black in presence of Polycyclic aromatic hydrocarbons)
Titanium dioxide (1	13463-67-7)	
ACGIH	ACGIH OEL TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (nanoscale respirable particulate matter) 2.5 mg/m <sup>3</sup> (finescale respirable particulate matter)
ACGIH	Remark (ACGIH)	LRT irr; A4 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³ (total dust)
IDLH	US IDLH (mg/m <sup>3</sup> )	5000 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	2.4 mg/m <sup>3</sup> (CIB 63-fine) 0.3 mg/m <sup>3</sup> (CIB 63-ultrafine, including engineered nanoscale)

Appropriate engineering controls	: Ensure good ventilation of the work station.	
Hand protection	: None necessary under normal conditions of use. Wear gloves if handling large quantities.	
Eye protection	: None necessary under normal conditions of use. Wear safety glasses or goggles if handling large quantities.	
Skin and body protection	: None necessary under normal conditions of use.	
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.	
Environmental exposure controls	: Avoid release to the environment.	
Other information	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.	

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Wax. Crayon	
Colour	: Various	

### Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Odour	: Wax-like
Odour threshold	: No data available
рН	: No data available
Melting point	: 75 °C / 167 °F
Freezing point	: No data available
Boiling point	: > 240 °C / 464 °F
Flash point	: > 210 °C / 410 °F
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.95 - 1.1
Solubility	: Insoluble in water
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
VOC content	: None
Additional information	: VHAP = None

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No dang	perous reactions known under normal conditions of use.
10.2.	Chemical stability
Stable u	inder normal conditions.
10.3.	Possibility of hazardous reactions
No dang	gerous reactions known under normal conditions of use.
10.4.	Conditions to avoid
Incompa	atible materials.
10.5.	Incompatible materials
Strong o	oxidizing agents.
10.6.	Hazardous decomposition products
May incl	lude, and are not limited to: oxides of carbon. Decomposes above 200 °C / 392 °F.

SECTION 11: Toxicological in	formation
1.1. Information on toxicologica	l effects
Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.
Paraffin waxes and Hydrocarbon w	vaxes (8002-74-2)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit > 3600 mg/kg	
Talc (14807-96-6)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

### Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Talc (14807-96-6)	
LC50 inhalation rat	> 2.1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
Carbon block (1222 96 1)	
Carbon black (1333-86-4) LD50 oral rat	> 15400 mg/kg
	> 13400 mg/kg
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg
Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Talc (14807-96-6)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity
Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
	2B - Possibly carcinogenic to humans Yes
IARC group In OSHA Hazard Communication Carcinogen list	
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airt	Yes borne, unbound particles of respirable size. No asbestiform fibers.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airt Reproductive toxicity	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airt Reproductive toxicity STOT-single exposure	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airt Reproductive toxicity	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airt Reproductive toxicity STOT-single exposure	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b>	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified. : Not classified. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days)	Yes borne, unbound particles of respirable size. No asbestiform fibers. : Not classified. : Not classified. : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days) <b>Carbon black (1333-86-4)</b>	Yes Ves Ves Volume and the state of the stat
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days) <b>Carbon black (1333-86-4)</b> NOAEL (oral, rat, 90 days)	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days) <b>Carbon black (1333-86-4)</b> NOAEL (oral, rat, 90 days) Aspiration hazard	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)         : Not classified.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days) <b>Carbon black (1333-86-4)</b> NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Talc (14807-96-6)</b> NOAEL (oral, rat, 90 days) <b>Carbon black (1333-86-4)</b> NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact Symptoms/effects after eye contact	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after ingestion Other information	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion Other information	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after ingestion Other information ECTION 12: Ecological information 2.1. Toxicity	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.         : Likely routes of exposure: ingestion, inhalation, skin and eye.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after ingestion Other information ECTION 12: Ecological information 2.1. Toxicity Ecology - general	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.         : Likely routes of exposure: ingestion, inhalation, skin and eye.
IARC group In OSHA Hazard Communication Carcinogen list Note: Chemicals are not present in the form of airl Reproductive toxicity STOT-single exposure STOT-repeated exposure Talc (14807-96-6) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Carbon black (1333-86-4) NOAEL (oral, rat, 90 days) Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after ingestion Other information ECTION 12: Ecological information 2.1. Toxicity Ecology - general Talc (14807-96-6)	Yes         borne, unbound particles of respirable size. No asbestiform fibers.         : Not classified.         : Not classified.         100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)         > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         : Not classified.         : May cause irritation to the respiratory tract.         : May cause eye irritation. Repeated exposure may cause skin dryness or cracking.         : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.         : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.         : Likely routes of exposure: ingestion, inhalation, skin and eye.         : May cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Titanium Dioxide (13463-67-7)		
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka	
EC50 - Crustacea [1]	19.3 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 100 mg/l Test organisms (species):	
EC50 - Crustacea [2]	27.8 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic)	5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

12.2. Persistence and degradability	
Classic Fill Stick – All Colours	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Classic Fill Stick – All Colours	
Bioaccumulative potential	Not established.
Talc (14807-96-6)	
BCF fish 1	(no known bioaccumulation)
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information :	No other effects known.
SECTION 13: Disposal considerations	

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

#### **SECTION 14: Transport information**

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG Not regulated

#### **SECTION 15: Regulatory information**

#### **15.1. Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

#### 15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

\*Note: Chemicals are not present in the form of airborne, unbound particles of respirable size. No asbestiform fibers.

### **SECTION 16: Other information**

Revision date	
Other information	
Indication of changes	
Prepared by	

: 11/17/2023 : None.

- : SDS update.
- : Nexreg Compliance Inc. www.Nexreg.com



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.