

Holiday village, Germany

Here long-lasting protection against UV radiation, rain and weather is required – combined with completely safe ingredients. And of course, an attractive colour is also important.

Pure colour

Multiple colour tones achievable with Country Colour for a variety of creative wood finishing options.





Ideal for recoating and renovating

Advantages

- Extremely durable
- Available in a multitude of RAL and NCS colour
- Recoatable without sanding
- Suitable for nursery, schools and playgrounds

Country Colour



Based on renewable raw materials



Microporous and breathable surface



Water and dirt repellent surface



Recoat after approx. 12 hours



280 ft²/L (26 m²/L) per coat



For dimensionally stable / unstable exterior wood



Robust to small damages



Can mix colours to create custom finishes

Natural Oil based finish offering long-term protection with an opaque, satin finish. Highly recommended for wood cladding, balconies, windows, timber framing and sheds.

White 2101	Light Ochre 2203	Ivory 2204	Sunflower 2208	Nordic Red 2306
Cedar/Rosewood 2310	Signal Red 2311	Fir Green 2404	Labrador Blue 2501	Royal Blue 2506
Dove Blue 2507	Medium Brown 2606	Dark Brown 2607	Charcoal 2703	Dusk Grey 2704
Pebble 2708	Anthracite Grey 2716	Light Grey 2607	Traffic Grey 2742	



Application Method

Finished surface in 2 days, 2 coats

1. First apply the first coat thinly and evenly on raw wood following the direction of the wood grain with an Osmo Brush.
2. Mistakes in the wet coating can be corrected up to 15 minutes after the first application.
3. Drying time approx. 12 hours (normal climatic conditions, 23°C / 50% rel. humidity). Lower temperatures and/or higher humidity can affect drying time. Ensure space is well ventilated.
4. After drying, apply a second coat as above.

Note: For renovation work, one coat applied to a clean and dry surface is usually sufficient.



WATCH: Visit our YouTube channel to watch Osmo application videos and demos.



Mix it up and get creative!

How do you achieve the right colour tone? Mix base ingredient amounts and adjust the mixture percentages as needed to make the colour tone lighter or darker. It's important you stick to one product and not cross mix. Country Colour colours can only be mixed with other Country Colour colours.

Use our sample sachets to mix and test colour tones on your wood.

Tone it down

Bring a touch of Scandinavia in your exterior: Take a colour of your choice and mix it with a lighter colour, such as white. The result is a softer, pastel tone for a unique garden.


Base colour Country Colour **White 2101**




30g White **2101**
+
10g Light Ochre **2203**



30g White **2101**
+
10g Royal Blue **2506**



30g White **2101**
+
10g Charcoal **2703**



30g White **2101**
+
10g Signal Red **2311**

Remix it

The colour you are looking for is not available as a finished product? No problem: maybe it is in our selection of mixtures. Just mix the colour tones as described in the instructions and apply it to the desired surface.



20g Labrador Blue **2501**
+
10g Ivory **2204**



10g Sunflower Yellow
2205
+
10g Ivory **2204**



10g Signal Red **2311**
+
10g Light Ochre **2203**