



SAFETY DATA SHEET (SDS)

Section 1. Identification					
Product identifier Se	condo				
Other means of identification	ation None				
Recommended use and restrictions on use Oil for wood/Stain					
Initial supplier identifier	•	5			
	797 avenue Granada, Rouyn-Noranda, QC,		ax : 819 797-8823		
	info@prato-verde.com & www.prato-verde				
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666					
Section 2. Hazard identification					
Classification of hazardous product (name of the category or subcategory of the hazard class)					
Flammable liquid (Category 3)					
Specific target organ toxicity – single exposure (Category 3)					
Carcinogenicity (Category 2)					
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)					
heat, hot surfaces, sparks, Use explosion-proof equ dust/fume/gas/mist/vapour protection. P304 + P340 II + P361 + P353 IF ON SKI Get medical attention. P37 P235 Store in a well-venti	ess or dizziness.	ing. P240 Ground and bound container Take action to prevent static disc ntilated area. P280 Wear gloves/protect o comfortable for breathing. P312 Call a l clothing. Rinse skin with water. P308- mical powder agent and appropriate foa ool. P405 Store locked up. P501 Dispos as rags used with this product may beg	and receiving equipment. P241 harges. P260 Do not breathe tive clothing/eye protection/face doctor if you feel unwell. P303 + P313 IF exposed or concerned: the to extinguish. P403 + P233 + se of contents/container into safe		
	Section 3. Composition/info	ormation on ingredients			
Chemical name (common name/synonyms)		CAS number or other	Concentration (%)*		
Heavy aromatic hydrocarbon/Naphtha		64742-48-9	40-70		
Linseed oil		68649-95-6/8001-26-1	< 10		
2-(2-Butoxyethoxy) ethan	ol	112-34-5	< 7		
2-Butoxyethyl acetate		112-07-2	< 5		
Titanium dioxide		13463-67-7	< 10		
	data shart provides concentration range(s) instead of th				

* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



	Section 4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victin		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two gla		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water (5-10 minutes). If skin irritation occurs: Get medical attention. Take off contamination		
	clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Conti		
•	rinsing. If eye irritation persists: Get medical attention.		
Most importar	nt symptoms and effects (acute or delayed) Mild transient eye irritation.		
	mmediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		
	Section 5. Fire-fighting measures		
Specific bazar	ds of the hazardous product (hazardous combustion products)		
_	and other irritant/toxic gases and fumes.		
	nsuitable extinguishing media		
	Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.		
	tive equipment and precautions for fire-fighters		
	rritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear pro-		
	oment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting ca		
Move container	s from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame		
	Section 6. Accidental release measures		
Personal preca	autions, protective equipment and emergency procedures		
Restrict access	to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up she		
wear the approp	priate protective equipment (See Section 8).		
Methods and r			
memous and 1	naterials for containment and cleaning up		
Ventilate area o	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material,		
Ventilate area of place material in	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, to nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proc		
Ventilate area o place material in	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required.		
Ventilate area of place material in Notify the appro	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, to not a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage		
Ventilate area of place material in Notify the appro Precautions fo	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in the acontainer for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection.		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr Before handling	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr Before handling measures are be	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, to not a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8.	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in to a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in the acontainer for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K tompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als		
Ventilate area of place material in Notify the appro Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well-	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in the acontainer for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyge eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K formatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section open properly labelled and not damaged. Storage area should be clearly identified, clearly identified and not damaged.		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, in the acontainer for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled proceed opriate authorities as required. Section 7. Handling and storage r safe handling rotective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyge eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K formatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section open properly labelled and not damaged. Storage area should be clearly identified, clearly identified and not damaged.		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygeing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contaite handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Aves, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Kompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section or ming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clearly clearly identified, clearly identified, clearly containers to make sure they are properly labelled and not damage or leaks. Section 8. Exposure controls/Personal protection		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als r safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section borning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea l accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection meters (biological limit values or exposure limit values and source of those values)		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K ompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als set storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section oming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea l accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection set (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ;		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K ompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als set storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Storage area should be clearly identified, clea l accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection eters (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction);		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate e	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contail e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section moring containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea l accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection enters (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); mgineering controls		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate en Use under well-	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section mig containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea l accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection section 8. Exposure controls/Personal protection s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); mgineering controls -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exported -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exported -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exported -ventil		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate en Use under well- limits. Make en	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section and and to damage or leaks. Section 8. Exposure controls/Personal protection meters (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); mgineering controlsventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below export mergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate en Use under well- limits. Make en Individual pro	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling, Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K pompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als sefe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section moming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea laccessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection set (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); meregency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. tection measures/personal protective equipment ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below export regression expersonal protective equipment		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate en Use under well- limits. Make en Individual pro Respiratory pro	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg eing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contait e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K pompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section main g containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea laccessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure contols/Personal protection section 8. Exposure contols/Personal protection section 8. Exposure controls/Personal protection refers (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); ngineering controls v-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below expore nergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. V-ventilated conditions. Local		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TW Appropriate en Use under well- limits. Make en Individual pro Respiratory pro are unknown. C	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section ming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea a cacessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection section 8. Exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); ngineering controls -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below expore nergency yewash stations, safety/quick-drench showers, and washing facilities available in work area. tection measures/personal protective equipment tection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirat		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TV Appropriate en Use under well- limits. Make en Individual pro Respiratory pro are unknown. C during all hand	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K sompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section ming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea taccessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection eters (biological limit values or exposure limit values and source of those values) s: CAS 13463-67-7 ACGH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); ngineering controls -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure negency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. tection measures/personal protective equipment tection is required if the concentrations are higher than the exposure limits. Use		
Ventilate area of place material in Notify the appro- Precautions fo Wear gloves/pr Before handling measures are be for leaks before contact with eye away from inco Section 8. Conditions for Store in a well- Inspect all inco obstruction and Control param Exposure limits Dust – PEL-TV Appropriate en Use under well- limits. Make en Individual pro Respiratory pro are unknown. C during all handl after handling.	of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, nto a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled procopriate authorities as required. Section 7. Handling and storage r safe handling otective clothing/eye protection/face protection. g, it is very important that engineering controls are operating, and that protective equipment requirements and personal hyg ing followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect contai e handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Av es, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. K compatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer als safe storage, including any incompatibilities -ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section ming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clea a cacessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection section 8. Exposure limit values and source of those values) s: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & PEL-TWA 10 mg/m ³ ; VA 15 mg/m ³ (total dust) & 5 mg/m ³ (respirable fraction); ngineering controls -ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below expore nergency yewash stations, safety/quick-drench showers, and washing facilities available in work area. tection measures/personal protective equipment tection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirat		

Section 9. Physical and chemical properties				
Physical state Liquid	pH Not available			
Colour Various	Kinematic viscosity 50 mm ² /s @ 40°C			
Odour Characteristic	Solubility Not available			
Melting/freezing point -78°C	Partition coefficient - n-octanol/water (log) Not available			
Initial boiling point/ initial/range 182°C	Vapour pressure Not available			
Flammability Flammable liquid and vapor	Density/relative density Not available			
Upper and lower flammability/explosive limits Not available	Relative vapour density Not available			
Flash point 38°C closed cup	Particle characteristics Not available			
Auto-ignition temperature Not available	VOC less than 450 g/L			
Decomposition temperature Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions pre	scribed.			
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
Accumulation of flammable if product is heated. DANGER OF COMBU	STION - Materials such as rags used with this product may begin to burn			
by themselves. After use, put rags in water or lay flat to dry, then discard.				
Conditions to avoid (static discharge, shock or vibration)				
Keep away from heat, hot surfaces, sparks, open flames and other ignition	sources. No smoking. DANGER OF COMBUSTION - Materials such			
as rags used with this product may begin to burn by themselves. After use	, put rags in water or lay flat to dry, then discard.			
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				
Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, sk	in and eye contact)			
May cause drowsiness or dizziness. Suspected of causing cancer.				
Symptoms related to the physical, chemical and toxicological charact				
Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.				
Delayed and immediate effects (chronic effects from short-term and long-term exposure)				
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity				
- Ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure				
- Possible; Specific Target Organ Toxicity — Repeated Exposure - No data available; Aspiration Hazard - No data available; Health Hazards Not				
Otherwise Classified – No data available.				
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)				
None				
None ATE not available in this document.				
None ATE not available in this document. Section 12. Ecolo	gical information			
None ATE not available in this document. Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information)	gical information			
None ATE not available in this document. Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product.	gical information			
None Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available	gical information			
None ATE not available in this document. Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available Bioaccumulative potential No data available	gical information			
None Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available	gical information			
None Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available for the product.				
None ATE not available in this document. Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects No data available for the product. Section 13. Dispone	al considerations			
None Section 12. Ecolo Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Mobility in soil No data available No data available Other adverse effects No data available for the product.	al considerations			

PRATO -VERDE

High-performance, sumptuous wood products

PRATO -
VERDE
High-performance,
sumptuous wood products

the only hazards that exist.