

# SAFETY DATA SHEET (SDS)

Section 1. Identification					
Product identifier Uno					
Other means of identification None					
Recommended use and restrictions on use Oil for wood/Stain					
Initial supplier identifier	Huiles pour bois Prato-Verde Inc. / Prato-Verde				
	797 avenue Granada, Rouyn-Noranda, QC, J9		ax : 819 797-8823		
	info@prato-verde.com & www.prato-verde.com				
Emergency telephone number		4 hour number 613-996-6666			
Section 2. Hazard identification					
	product (name of the category or subcategory	of the hazard class)			
	Flammable liquid (Category 3)				
Specific target organ toxicity -	- single exposure (Category 3)				
Carcinogenicity (Category 2)	2)				
Reproductive toxicity (Catego					
Information elements (symbolic	ols, signal words, hazard statements and prec	autionary statements of the catego	ry/subcategory)		
DangerH226 Flammable liquid and vapor.H336 May cause drowsiness or dizziness.H351 Suspected of causing cancer.H361 Suspected of damaging fertility or the unborn child.P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away fromheat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathedust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear gloves/protective clothing/eye protection/faceprotection. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P303+ P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P308 + P313 IF exposed or concerned:Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 +P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safecontainer in accordance with local, regional or national regulations.Other hazards knownDANGER OF COMBUSTION - Materials such as rags used with this product may begin to burn by themselves. After					
use	e, put rags in water or lay flat to dry, then discard	1.			
	Section 3. Composition/inform	0			
Chemical name (common name/synonyms)		CAS number or other	Concentration (%)*		
Heavy aromatic hydrocarbon/	Naphtha	64742-48-9	30-60		
Linseed oil		68649-95-6/8001-26-1	< 2		
2-(2-Butoxyethoxy) ethanol	2-(2-Butoxyethoxy) ethanol		< 10		
Hexanoic acid, 2-ethyl-, zinc salt,basic		85203-81-2	~ 0.1		
2-Butoxyethyl acetate		112-07-2	< 15		
Titanium dioxide		13463-67-7	< 15		
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).					



Produits somptueux et performants pour le bois				
	Section	4. First-aid measures		
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim			
	rapidly losing consciousness, or is unconscious	s or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.			
Skin contact	IF ON SKIN: Wash with plenty of water (5-10 minutes). If skin irritation occurs: Get medical attention. Take off contaminated			
	clothing and wash it before reuse.			
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue			
rinsing. If eye irritation persists: Get medical attention.				
Most important symptoms and effects (acute or delayed)		Mild transient eye irritation.		
Indication of in	nmediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.		
Section 5. Fire-fighting measures				
Specific hazard	ls of the hazardous product (hazardous combu	stion products)		
Carbon oxides a	and other irritant/toxic gases and fumes.			
Suitable and u	nsuitable extinguishing media			
In case of fire: U	Use carbon dioxide, chemical powder agent and a	ppropriate foam to extinguish.		
Special protect	ive equipment and precautions for fire-fighters	8		
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear prope				
protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.				
Move containers	s from fire area if it can be done without risk. Wate	er spray may be useful in cooling equipment and cans exposed to heat and flame.		
Section 6. Accidental release measures				
Personal preca	utions, protective equipment and emergency p	rocedures		
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should				
wear the appropriate	riate protective equipment (See Section 8).			
Methods and n	naterials for containment and cleaning up			
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, the				
place material ir	nto a container for later disposal (see Section 13).	Contaminated absorbent material may pose the same hazards as the spilled product.		

place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

### Section 7. Handling and storage

#### Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

#### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

## Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m<sup>3</sup> & PEL-TWA 10 mg/m<sup>3</sup>;

Dust – PEL-TWA 15 mg/m<sup>3</sup> (total dust) & 5 mg/m<sup>3</sup> (respirable fraction);

#### Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



rroauts somptieux et performants pour le bois					
Section 9. Physical and chemical properties					
Physical state Liquid	<b>pH</b> Not available				
Colour Various	Kinematic viscosity 50 mm <sup>2</sup> /s @ 40°C				
Odour Characteristic	Solubility Not available				
Melting/freezing point -78°C	Partition coefficient - n-octanol/water (log) Not available				
Initial boiling point/ initial/range 182°C	Vapour pressure Not available				
Flammability Flammable liquid and vapor	Density/relative density     Not available				
Upper and lower flammability/explosive limits Not available	Relative vapour density     Not available				
Flash point 38°C closed cup	Particle characteristics     Not available				
Auto-ignition temperature     Not available	VOC less than 450 g/L				
Decomposition temperature     Not available     Other     None known       Section 10. Stability and reactivity					
	lity and reactivity				
Reactivity					
Does not react under the recommended storage and handling conditions pre-	escribed.				
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
	STION - Materials such as rags used with this product may begin to burn				
by themselves. After use, put rags in water or lay flat to dry, then discard					
Conditions to avoid (static discharge, shock or vibration)					
Keep away from heat, hot surfaces, sparks, open flames and other ignition	n sources. No smoking. DANGER OF COMBUSTION - Materials such				
as rags used with this product may begin to burn by themselves. After use	e, put rags in water or lay flat to dry, then discard.				
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
	logical information				
Information on the likely routes of exposure (inhalation, ingestion, sk	0				
May cause drowsiness or dizziness. Suspected of causing cancer. Suspec					
Symptoms related to the physical, chemical and toxicological charact					
Eye irritation, redness, tearing; Respiratory tract irritation, coughing, sho					
Delayed and immediate effects (chronic effects from short-term and					
	ta available; Germ Cell Mutagenicity – No data available; Carcinogenicity				
- Ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – Possible; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not					
Otherwise Classified – No data available.	tia available, Aspiration Hazard – No data available, Heath Hazards Not				
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )					
None ATE not available in this document					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information)					
No data available for the product.					
Persistence and degradability No data available					
Bioaccumulative potential No data available					
Mobility in soil No data available					
Other adverse effects No data available for the product.					
Section 13. Dispo	sal considerations				
Information on safe handling for disposal/methods of disposal/contai					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					



		Section 14. Transport information			
UN number; Pr	oper shipping name; Class(es);	Packing group (PG) of the TDG Regulations			
	UN1263; PAINT; CLASS 3; PG III				
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
UN1263; PAINT; CLASS 3; PG III					
	UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)				
	UN1263; PAINT; CLASS 3; PG III				
<b>Special precautions (transport/conveyance)</b> May also be shipped as NOT REGULATED by ground in accordance with TI					
Environmental hazards (IMDG or other) None					
		Section 15. Regulatory information			
Safety/health Canadian regulations specifics		Refer to Section 2 for the appropriate classification. This product has been classified in accordance			
-		with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental Canadian regulations specifics		Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/er	vironmental outside regulation	ns specifics			
United States OS	United States OSHA information: This product is regulated according to OSHA (29 CFR).				
United States EP	PA (Environmental Protection Ag	ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TC	CSA information: Refer to the ing	redients listed in Section 3.			
		Section 16. Other information			
	st revision of the safety data she	eet August 22, 2023 version 2 (NSS ENTREPRISE INC.)			
Corrections	New template				
References	Safety Data Sheets from manufa	cturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Resea				
IATA	International Air Transport Ass				
IMDG	International Maritime Dangero	bus Goods Code			
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupation				
NTP	National Toxicology Program (				
OSHA	Occupational Safety and Health	Administration (U.S.A.)			
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS					
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability					
	2 1	ormation contained herein. Final determination of suitability of any material is the sole responsibility of the			
	user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist				

user. All materials may pre the only hazards that exist.